

BEACONTM

CABLE PROTECTION RAMP

System features patented T-Connectors

FEATURES

- Protects cables and hoses up to 1.3" outside dia.
- Patented T-Connectors to extend to any length
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Easy to transport, setup, disassemble, and store




T-Connector


MODEL: BCP5X125-GP

5-CHANNEL GENERAL PURPOSE with hinged lid provides a safer crossing for vehicles and pedestrian traffic while protecting valuable electrical cables and hose lines from damage in extreme weather conditions and work environments. Modular interlocking design is ideal for use in entertainment venues, sporting events, and most public, commercial, industrial, and utility applications.

Protects cables and hoses up to 1.3" outside diameter




Lid/Base Color Options



LOAD CAPACITY

Max load tested at 70°F (21°C)

10,500 lb./Tire (4,763 kg)
21,000 lb./Axle (9,526 kg)





U.S. Patent No: D415,112

MODEL	A: LENGTH	B: WIDTH	C: HEIGHT	D: CHANNEL WIDTH	E: CHANNEL HEIGHT	WEIGHT
BCP5X125-GP	36 in. (91.44 cm)	17.25 in. (43.82 cm)	1.95 in. (5.0 cm)	1.3 in. (3.3 cm)	1.3 in. (3.3 cm)	22 lb. (10 kg)

ACCESSORIES for 5-Channel General Purpose Cable Protectors

END CAPS (Pair Only)


BCPEC5X125-GP




End Caps Color: O = Orange

45° "Y" PROTECTOR

MODEL: BCPY5X125-GP
(Split or join cable runs)



"Y" Connector Color:
O/Y = Orange Lid with Yellow Ramps



45° "Y" PROTECTOR

END CAPS (PAIR)


MODEL	A: LENGTH	B: WIDTH	C: HEIGHT	D: CHANNEL WIDTH	E: CHANNEL HEIGHT	WEIGHT
BCPY5X125-GP	19.75 in. (50.17 cm)	17.25 in. (43.82 cm)	1.95 in. (5.0 cm)	1.3 in. (3.3 cm)	1.3 in. (3.3 cm)	9.4 lb. (4.3 kg)
BCPEC5X125-GP	Female: 4.75 in. (12.07 cm)	17.25 in. (43.82 cm)	1.95 in. (5.0 cm)	1.3 in. (3.3 cm)	1.3 in. (3.3 cm)	2.7 lb. (1.2 kg)
	Male: 4.75 in. (12.07 cm)	17.25 in. (43.82 cm)	1.95 in. (5.0 cm)	1.3 in. (3.3 cm)	1.3 in. (3.3 cm)	2.7 lb. (1.2 kg)

ACCESSIBILITY RAMPS AND RAILS for Cable Protection Ramp

5-CHANNEL ACCESSIBILITY RAMPS AND RAILS feature a gradual slope and slip-resistant surface to ensure a safer crossing point for carts, forklifts, vehicles with small wheels and heavy trucks. In addition, each ramp and rail system is manufactured to meet ADA and DDA compliant specifications.



ADA/DDA
Compliant



- Patented, modular ADA/DDA Compliant ramps
- Still allows access to cables and cords
- Add ramps and rails when requirements specify
- One person installation - no tools required

LOAD CAPACITY


Max load tested at 70°F (21°C)

20,150 lb./Tire (9,140 kg)


40,300 lb./Axle (18,280 kg)

U.S. Patent No: 6,481,036

RAMPS - BCPRP-5GP



RAILS - CPRL-5GP



System shown with 2 General Purpose Cable Protectors, 2 Pairs of Ramps and 8 Connectors.
Ramps available only in blue and rails available only in yellow.



	MODEL	A: LENGTH	B: WIDTH	C: HEIGHT	WEIGHT	COLOR
RAMPS	BCPRP-5GP	36 in. (91.44 cm) (SINGLE)	21.88 in. (55.58 cm) (SINGLE)	2 in. (5.08 cm)	40 lb. (18.1 kg) (PAIR OF RAMPS)	Blue
RAIL	BCPRL-5GP	1.5 in. (3.81 cm)	54 in. (137.16 cm)	2 in. (5.08 cm)	12.7 lb. (5.8 kg)	Yellow

PROTECTOR BRIDGES for 5-Channel General Purpose Cable Protectors

2-CHANNEL CABLE BRIDGES provide additional cable channels while creating a continuous, level, crossing surface for vehicle and pedestrian traffic. These modular accessories allow users to create any number of runs simultaneously by utilizing the space between multiple parallel cable protector runs.

- Patented Protector Bridges

U.S. Patent No: 6,747,212


LOAD CAPACITY

Max load tested at 70°F (21°C)

20,150 lb./Tire (9,140 kg)

40,300 lb./Axle (18,280 kg)

BRIDGE - BCL2X150-GP




Top Piece

Base Piece

Protects cables and hoses up to 1.5" outside diameter

Complete Bridge

The first expandable system to accommodate an unlimited number of channels!



	MODEL	A: LENGTH	B: WIDTH	C: HEIGHT	D: CHANNEL WIDTH	E: CHANNEL HEIGHT	WEIGHT	COLOR
	BCL2X150-GP	36 in. (91.44 cm)	12.5 in. (21.6 cm)	1.875 in. (4.76 cm)	1.5 in. (3.81 cm)	1.5 in. (3.81 cm)	14 lb. (6.4 kg)	Orange