

BEACONTM

LIGHTWEIGHT CABLE RAMP

System features NEW GRIPPER[®] CONNECTORS

FEATURES

- Lightweight construction - only weighs 12.75 lbs!
- Protects cables and hoses up to 1.25" outside dia.
- Gripper[®] Connectors to extend to any desired length
- Snap Fit[™] hinged lid for easy cable placement
- All-weather polyurethane construction
- Modular interlocking design for easy setup



Gripper[®]
Connector

INTRODUCING THE WORLD'S LIGHTEST 5-CHANNEL CABLE PROTECTOR!


5-CHANNEL CABLE PROTECTORS include many patent-pending features, including our "Gripper Connectors" with a new lightweight design. At a weight of only 12.75 lbs, Grip Guard is up to 60% lighter than other leading polyurethane 5-channel cable protectors, and up to 75% lighter than other rubber 5-channel cable protectors on the market.

The Connector is ergonomically designed to fit your hand, which allows for easy handling and transport. This connector also locks multiple cable protectors tightly together to provide a safe crossing for vehicle and pedestrian traffic while protecting valuable electrical cables and hose lines.

This modular interlocking design is ideal for use in most public entertainment venues, light commercial, and utility applications where cable protection is needed. Cable Protectors are made from maintenance free polyurethane.

When compared to other rubber manufactured cable protectors, is up to 75% lighter without compromising the required strength and durability.

NEW



Protects cables and hoses up to 1.25" outside diameter

MODEL: BGG5X125


Lid/Base Color Options

Yellow/Green = Y/G


LOAD CAPACITY

Max load tested at 70°F (21°C)

5,000 lb./Tire (2,267 kg)
10,000 lb./Axle (4,534 kg)




*Patent #
D418,818



MODEL	A: LENGTH	B: WIDTH	C: HEIGHT	D: CHANNEL WIDTH	E: CHANNEL HEIGHT	WEIGHT
BGG5X125	36 in. (91.4 cm)	16.44 in. (41.76 cm)	1.59 in. (4.04 cm)	1.25 in. (3.18 cm)	1.25 in. (3.18 cm)	12.75 lb. (5.78 kg)

- ONLY 12.75 lbs. - the world's lightest 5-channel cable protector by up to 75%!
- NEW Gripper[®] Connector System with easy hand-conforming grip
- NEW Snap Fit[™] hinged lid. No fiberglass rod required to replace the lid.
- Patented* 5-Bar tread pattern for maximum traction
- Protects cables and hoses up to 1.25" outside diameter
- Made from tough, high impact absorbing, non-conductive polyurethane
- Resistant from oil, fuels and lubricants
- Recessed carrying handle molded in to the underside of the protector
- Optional Anti-Slip Traction Kits for use on carpet or slick surfaces
- Custom logo and colors available
- RoHS and SVHC Compliant



ANTI-SLIP TRACTION KITS for Grip Guard 5-Channel Cable Protectors

MODEL	DESCRIPTION	WEIGHT
BCPRPKIT1-8	Anti-Slip Rubber Pad Kit for Grip Guard Cable Protectors (includes 8 anti-slip rubber pads)	.11 lb. (.05 kg)
BCPGLUE	1/2 oz. Bottle of Clear Super Glue (best if kept refrigerated). Use for permanent application of Anti-Slip Rubber Pads	.07 lb. (.032 kg)
BCPCARPET-KIT-3	Carpet Kit with VELCRO [®] Brand Fasteners for Grip Guard Cable Protectors (includes two 37" x .25" Black Traction Strips and a 1/2 oz. Bottle of Clear Super Glue)	.09 lb. (.041 kg)



BEACONTM

LIGHTWEIGHT CORD RAMP

System features NEW GRIPPER[®] CONNECTORS

FEATURES

- Lightweight construction - only weighs 23 lbs!
- Protects cables and hoses up to 2.25" outside dia.
- Gripper[®] Connectors to extend to any desired length
- Snap Fit[™] hinged lid for easy cable placement
- All-weather polyurethane construction
- Modular interlocking design for easy setup



Gripper[®]
Connector

INTRODUCING THE WORLD'S LIGHTEST 3-CHANNEL CABLE PROTECTOR!

3-CHANNEL CABLE PROTECTORS include many patent-pending features, including our Connectors with a new lightweight design. At a weight of only 23 lbs, Grip Guard is up to 33% lighter than other leading polyurethane 3-channel cable protectors, and up to 50% lighter than other rubber 3-channel cable protectors on the market.

The Connector is ergonomically designed to fit your hand, which allows for easy handling and transport. This connector also locks multiple cable protectors tightly together to provide a safe crossing for vehicle and pedestrian traffic while protecting valuable electrical cables and hose lines.

This modular interlocking design is ideal for use in most public entertainment venues, light commercial, and utility applications where cable protection is needed. Cable Protectors are made from maintenance free polyurethane.

When compared to other rubber manufactured cable protectors, ours is up to 50% lighter without compromising the required strength and durability.

NEW

Protects cables and hoses up to 2.25" outside diameter

MODEL: GG3X225

Lid/Base Color Options





Yellow/Green = Y/G

LOAD CAPACITY

Max load tested at 70°F (21°C)


5,000 lb./Tire (2,267 kg)
10,000 lb./Axle (4,534 kg)

*Patent #
D418,818



MODEL	A: LENGTH	B: WIDTH	C: HEIGHT	D: CHANNEL WIDTH	E: CHANNEL HEIGHT	WEIGHT
BGG3X225	36 in. (91.4 cm)	18.21 in. (46.25 cm)	2.69 in. (6.83 cm)	2.25 in. (5.72 cm)	2.25 in. (5.72 cm)	23.0 lb. (10.43 kg)

- ONLY 23 lbs. - the world's lightest 3-channel cable protector by up to 50%!
- NEW Gripper[®] Connector System with easy hand-conforming grip
- NEW Snap Fit[™] hinged lid. No fiberglass rod required to replace the lid.
- Patented* 5-Bar tread pattern for maximum traction
- Protects cables and hoses up to 2.25" outside diameter
- Made from tough, high impact absorbing, non-conductive polyurethane
- Resistant from oil, fuels and lubricants
- Recessed carrying handle molded in to the underside of the protector
- Optional Anti-Slip Traction Kit for use on slick surfaces
- Custom logo and colors available
- RoHS and SVHC Compliant



ANTI-SLIP TRACTION KIT for 3-Channel Cable Protectors

MODEL	DESCRIPTION	WEIGHT
BCPRPKIT1-8	Anti-Slip Rubber Pad Kit for Grip Guard Cable Protectors (includes 8 anti-slip rubber pads)	.11 lb. (.05 kg)
BCPGLUE	1/2 oz. Bottle of Clear Super Glue (best if kept refrigerated). Use for permanent application of Anti-Slip Rubber Pads	.07 lb. (.032 kg)

