

LOW DOCK LEVELER

Mechanical Dock Leveler For Low Dock Applications



Dock Leveler with Manual Operation


Raise the height of your present dock as much as 11" without expensive dock alterations. Low dock levelers can easily be installed on any concrete dock without welding or modifications. Complete technical information and installation instructions are available upon request.

Beacon's Top of Dock leveler is designed to have a working range of 5" above and 5" below dock.

Because of gradability problems, dock levelers are not recommended for use with pallet jacks or stackers.

- · Completely assembled
- · No site welding required
- Available in 20,000; 25,000; and 30,000 lb. capacities.
- Hydraulic assist and refrigerated lip available as options. Hydraulic assist can be retrofitted on existing units, or is available as an add-on option.






BEACON

BEACON INDUSTRIES, INC™

12300 Old Tesson Rd., St. Louis, MO 63128, USA Ph: 314-487-7600 USA - Call Toll Free USA 800-454-7159 - Fax: 314-487-0100



TOP OF DOCK - Low Dock Leveler

	TOP OF DOCK - LOW DOCK LEVELE!				
Model Number	Capacity (lbs)	Width (A)	Overall Width (B)	Ramp Height (C)	Ramp Length (D)
B20LD72-3 B25LD72-3	20,000 25,000	72"	94"	3"	30"
B20LD72-5 B25LD72-5	20,000 25,000	72"	94"	5"	48"
B20LD72-7 B25LD72-7	20,000 25,000	72"	94"	7"	52"
B20LD72-9 B25LD72-9	20,000 25,000	72"	94"	9"	64"
B20LD72-11 B25LD72-11	20,000 25,000	72"	94"	11"	78"
B20LD78-3 B25LD78-3	20,000 25,000	78"	100"	3"	30"
B20LD78-5 B25LD78-5	20,000 25,000	78"	100"	5"	48"
B20LD78-7 B25LD78-7	20,000 25,000	78"	100"	7"	52"
B20LD78-9 B25LD78-9	20,000 25,000	78"	100"	9"	64"



BEACON INDUSTRIES, INC™

12300 Old Tesson Rd., St. Louis, MO 63128, USA Ph: 314-487-7600 USA - Call Toll Free USA 800-454-7159 - Fax: 314-487-0100

TOP OF DOCK

Low Dock Leveler

For Low Dock Applications

Installation Images







BEACON INDUSTRIES, INC™

12300 Old Tesson Rd., St. Louis, MO 63128, USA Ph: 314-487-7600 USA - Call Toll Free USA 800-454-7159 - Fax: 314-487-0100