SELF ADJUSTING CART

AUTOMATIC HEIGHT ADJUSTMENT FOR ERGONOMIC WORK POSITIONING

Load Adjusting Scissor Lift

• ADJUSTABLE TENSION ALLOWS FOR CONVENIENT "FINE TUNE" TO FIT THE APPLICATION Series BSCSC

- HEAVY DUTY ALL STEEL CONSTRUCTION
- REMOVABLE HANDLE IS BOLTED ON

The Self Adjusting Cart, series BSCSC, raises or lowers as materials are removed or added to the platform, keeping material at an ergonomic work height. Increase efficiency while reducing potentially harmful bending and twisting motions. Carts utilize tension springs which can be adjusted in order to fit each particular application. Polyurethane casters are 5" x 2", (2) rigid and (2) swivel with brake.

MODEL NUMBER	PLATFORM SIZE (WIDTH x LENGTH)	CAPACITY (POUNDS)	SERVICE RANGE	OVERALL SIZE (W x L x H)
BSCSC-500-2040	20" x 40"	500	14" TO 34"	20" x 45" x 38"
BSCSC-500-4242	42" x 42"	500	14" TO 34"	42" x 45" x 38"
BSCSC-1000-4242	42" x 42"	1,000	14" TO 34"	42" x 45" x 38"
BSCSC-1000-4848	48" x 48"	1,000	14" TO 34"	48" x 53" x 38"
BSCSC-2000-4848	48" x 48"	2,000	17" TO 37"	48" x 53" x 38"

Scissor Cart

- EASY TENSION ADJUSTMENT FOR HEIGHT/WEIGHT SENSITIVITY
- HEAVY DUTY STEEL CONSTRUCTION
- HANDLES LOADS UP TO 800 LBS.
- REMOVABLE BOLT ON HANDLE

Series BSCSC

Transport loads weighing up to 800 lbs. with the Scissor Cart. These carts raise and lower as materials are removed or added to the platform. Automatic height adjustment provides ergonomic work positioning to increase productivity and decrease work related repetitive motion injuries. 5"x 1", 2 rigid and 2 swivel casters with brake standard.

MODEL	PLATFORM SIZE	CAPACITY	SERVICE	WEIGHT	OVERALL SIZE
NUMBER	(WIDTH x LENGTH)	(POUNDS)	RANGE	ADJUSTMENT RANGE	(W x L x H)
BSCSC-400-2032	20" x 32"	400	14" TO 30"	175 - 400 lbs.	20" x 40" x 43"
BSCSC-800-2040	20" x 40"	800	14-1/2" TO 31"	225 - 800 lbs.	20" x 50" x 44-1/2"

Beacon Industries, Inc.

12300 Old Tesson Rd. St. Louis, MO 63128-2247 USA Phone: (314) 487-7600 Fax: (314) 487-0100 E-Mail: <u>sales@beacontechnology.com</u> <u>beacontechnology.com</u>